

METER BOX RINGS & COVERS



*Quality American Made Products
Since 1946*

MUNICIPAL CASTINGS


2023 Catalog

**SWEETWATER
TENNESSEE**

MADE IN

METER BOX RINGS & COVERS

Double Yoke Bars	NEW
Cast Iron Yoke Bars.....	NEW
Yoke Bars with Prongs	NEW
Non-Recessed Meter Box Rings & Covers	C-1, C-2
Recessed Meter Box Rings & Covers	C-3, C-4
Iron Meter Box Rings and Covers	C-5
“W” Double Meter Frame & Cover.....	C-6
Spiked Meter Box Rings and Covers.....	C-7
Meter Box Rings and Covers.....	C-8
Non-Recessed Rings and Covers	C-9
Larger Opening Meter Box Rings and Covers.....	C-10
Hook Meter Box Rings and Covers	C-11
Elevator Rings	C-11
Touch Read Plug	C-11
Meter Box Rings Only.....	C-12
Non-Recessed Meter Box Covers Only.....	C-13, C-14
Recessed Meter Box Cover Only	C-15, C-16
Plastic Meter Box Cover Only.....	C-17, C-18
Monitor Rings and Covers	C-19, C-20
Expander Rings.....	C-20
Pit Rings and Covers.....	C-21
Flat Pitsetter Covers	C-21
Round Flat Water Meter Lids.....	C-22
Bell Rings and Cover.....	C-22
Rectangular Meter Lids	C-23
Oval Water Meter Lids.....	C-24



Vestal Pentagon Bolts are made in the sizes shown above. The small size ($27/32$) is known as the standard or small bolt (SN). The large size ($1-1/32$) is known as the large bolt (LN). Please specify size preference when ordering.

Lifter Worm Lock - All locking lids feature an unique “worm” type lock. The lock has a hard cast iron nut that rotates and applies a screw-jack action between the lid and cover to break any seal of ice or dirt. The bolt is constructed of forged silicon bronze and features a pentagon bolt head. This bolt acts as a lifter handle for the lid for easy opening and closing.

Special Name Lids - Vestal Manufacturing owns and operates its own foundry, which gives us the ability to put custom names on many of the cast iron rings and covers that we produce. This could be either the name of a distributor, water district or municipality using the product. Contact Vestal or your local sales representative for more information.

Touch Read Holes - Many Vestal covers can be ordered with a 1.75” hole in the lid for placement of a touch reading device. These lids are identified by the letters “TR” after the model number. Lids with two touch read holes are identified by “2TR”. Please specify when ordering if you want your lids to have these features.

Recessed Touch Read Holes - Vestal now offers many lids with 4” and 7” recessed touch read holes. These lids are identified by the letters RTR after the model number. Lids with two touch read holes are identified by 2RTR.



Meter Setting

Double Yoke Bars



Model No.	Meter Size	Bar Width	Standard Package		Vestal No.
			Quantity	Wt. Lbs.	
D-58	5/8"	7"	1	7 lbs.	32-172
D-5834	5/8" x 3/4"	7"	1	8 lbs.	32-173
D-34	3/4"	7"	1	9 lbs.	32-174
D-1	1"	9"	1	15 lbs.	32-175



Vestal Manufacturing Enterprises, Inc.
P.O. Box 420 • Sweetwater, TN 37874
Phone: 800-456-9562 • Fax: 423-337-2003
www.vestalmfg.com





Cast Iron Yoke Bars



Model No.	Meter Size	Standard Package		Vestal No.
		Quantity	Wt. Lbs.	
V-58	5/8"	10	38	32-164
V-5834	5/8" x 3/4"	10	41	32-165
V-34	3/4"	10	46	32-166
V-1	1"	6	46	32-167



Vestal Manufacturing Enterprises, Inc.
P.O. Box 420 • Sweetwater, TN 37874
Phone: 800-456-9562 • Fax: 423-337-2003
www.vestalmfg.com





Yoke Bars with Prongs



Model No.	Meter Size	Number of Prongs	Standard Package		Vestal No.
			Quantity	Wt. Lbs.	
V-58P	5/8"	3	10	41	32-168
V-5834P	5/8" x 3/4"	3	10	44	32-169
V-34P	3/4"	3	10	49	32-170
V-1P	1"	1	6	49	32-171



Vestal Manufacturing Enterprises, Inc.
 P.O. Box 420 • Sweetwater, TN 37874
 Phone: 800-456-9562 • Fax: 423-337-2003
www.vestalmfg.com





NON-RECESSED CAST IRON METER BOX RINGS & COVERS*

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-036	RMC-15	Non-Locking R&C	15	N/A	11.5	29
32-033	RMC-15L W/SN	Locking R&C	15	27/32	11.5	29
32-064	RMC-15L W/LN	Locking R&C	15	1-1/32	11.5	29
32-236	RMC-15 W/TR	Non-Locking R&C, Touch Read	15	N/A	11.5	29
32-233	RMC-15L W/SN W/TR	Locking R&C, Touch Read	15	27/32	11.5	29
32-264	RMC-15L W/LN W/TR	Locking R&C, Touch Read	15	1-1/32	11.5	29
32-340	RMC-15 W/2TR	Non-Locking R&C w/ 2 Touch Read	15	N/A	11.5	29
32-345	RMC-15L W/SN W/2TR	Locking R&C w/ 2 Touch Read	15	27/32	11.5	29
32-346	RMC-15L W/LN W/2TR	Locking R&C w/ 2 Touch Read	15	1-1/32	11.5	29

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-022	RMC-18	Non-Locking R&C	18	N/A	11.5	32
32-023	RMC-18L W/SN	Locking R&C	18	27/32	11.5	32
32-061	RMC-18L W/LN	Locking R&C	18	1-1/32	11.5	32
32-222	RMC-18 W/TR	Non-Locking R&C, Touch Read	18	N/A	11.5	32
32-223	RMC-18L W/SN W/TR	Locking R&C, Touch Read	18	27/32	11.5	32
32-261	RMC-18L W/LN W/TR	Locking R&C, Touch Read	18	1-1/32	11.5	32
32-349	RMC-18 W/2TR	Non-Locking R&C w/ 2 Touch Read	18	N/A	11.5	32
32-354	RMC-18L W/SN W/2TR	Locking R&C w/ 2 Touch Read	18	27/32	11.5	32
32-355	RMC-18L W/LN W/2TR	Locking R&C w/ 2 Touch Read	18	1-1/32	11.5	32

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-025	RMC-20	Non-Locking R&C	20	N/A	11.5	33
32-026	RMC-20L W/SN	Locking R&C	20	27/32	11.5	33
32-062	RMC-20L W/LN	Locking R&C	20	1-1/32	11.5	33
32-225	RMC-20 W/TR	Non-Locking R&C, Touch Read	20	N/A	11.5	33
32-226	RMC-20L W/SN W/TR	Locking R&C, Touch Read	20	27/32	11.5	33
32-262	RMC-20L W/LN W/TR	Locking R&C, Touch Read	20	1-1/32	11.5	33
32-358	RMC-20 w/2TR	Non-Locking R&C w/ 2 Touch Read	20	N/A	11.5	33
32-363	RMC-20L w/SN w/2TR	Locking R&C w/ 2 Touch Read	20	27/32	11.5	33
32-364	RMC-20L w/LN w/2TR	Locking R&C w/ 2 Touch Read	20	1-1/32	11.5	33

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-093	RMC-21	Non-Locking R&C	21	N/A	11.5	38
32-094	RMC-21L W/SN	Locking R&C	21	27/32	11.5	39
32-095	RMC-21L W/LN	Locking R&C	21	1-1/32	11.5	39
32-367	RMC-21 W/TR	Non-Locking R&C, Touch Read	21	N/A	11.5	39
32-294	RMC-21L W/SN W/TR	Locking R&C, Touch Read	21	27/32	11.5	39
32-295	RMC-21L W/LN W/TR	Locking R&C, Touch Read	21	1-1/32	11.5	39
32-368	RMC-21 W/2TR	Non-Locking R&C w/ 2 Touch Read	21	N/A	11.5	39
32-373	RMC-21L W/SN W/2TR	Locking R&C w/ 2 Touch Read	21	27/32	11.5	39
32-374	RMC-21L W/LN W/2TR	Locking R&C w/ 2 Touch Read	21	1-1/32	11.5	39

* All RMC-20 & RMC-21 series rings & covers feature special designed hinge to support lid when open.

* Special hinge "X" feature available on RMC-18 by request.

VESTAL MANUFACTURING
Sweetwater, TN 37874
800-456-9562



NON-RECESSED CAST IRON METER BOX RINGS & COVERS W/4" RECESSED TOUCH HOLES

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-341	RMC-15 W/RTR	Non-Locking R&C, W/Rec. Touch Read	15	N/A	11.5	31
32-342	RMC-15 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	15	N/A	11.5	31
32-343	RMC-15L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	15	27/32	11.5	32
32-344	RMC-15L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	15	1-1/32	11.5	32
32-347	RMC-15L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	15	27/32	11.5	32
32-348	RMC-15L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	15	1-1/32	11.5	32

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-350	RMC-18 W/RTR	Non-Locking R&C, W/Rec. Touch Read	18	N/A	11.5	33
32-351	RMC-18 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	18	N/A	11.5	33
32-352	RMC-18L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	18	27/32	11.5	34
32-353	RMC-18L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	18	1-1/32	11.5	34
32-356	RMC-18L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	18	27/32	11.5	34
32-357	RMC-18L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	18	1-1/32	11.5	34

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-359	RMC-20 W/RTR	Non-Locking R&C, W/Rec. Touch Read	20	N/A	11.5	36
32-360	RMC-20 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	20	N/A	11.5	36
32-361	RMC-20L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	20	27/32	11.5	37
32-362	RMC-20L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	20	1-1/32	11.5	37
32-365	RMC-20L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	20	27/32	11.5	37
32-366	RMC-20L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	20	1-1/32	11.5	37

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-369	RMC-21 W/RTR	Non-Locking R&C, W/Rec. Touch Read	21	N/A	11.5	42
32-370	RMC-21 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	21	N/A	11.5	42
32-371	RMC-21L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	21	27/32	11.5	43
32-372	RMC-21L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	21	1-1/32	11.5	43
32-375	RMC-21L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	21	27/32	11.5	43
32-376	RMC-21L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	21	1-1/32	11.5	43



RECESSED CAST IRON METER BOX RINGS & COVERS

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-037	RMRC-15	Non-Locking R&C	15	N/A	11.5	29
32-038	RMRC-15L W/SN	Locking R&C	15	27/32	11.5	29
32-065	RMRC-15L W/LN	Locking R&C	15	1-1/32	11.5	29
32-237	RMRC-15 W/TR	Non-Locking R&C, Touch Read	15	N/A	11.5	29
32-238	RMRC-15L W/SN W/TR	Locking R&C, Touch Read	15	27/32	11.5	29
32-265	RMRC-15L W/LN W/TR	Locking R&C, Touch Read	15	1-1/32	11.5	29
32-377	RMRC-15 W/2TR	Non-Locking R&C w/ 2 Touch Read	15	N/A	11.5	29
32-382	RMRC-15L W/SN W/2TR	Locking R&C w/ 2 Touch Read	15	27/32	11.5	29
32-383	RMRC-15L W/LN W/2TR	Locking R&C w/ 2 Touch Read	15	1-1/32	11.5	29

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-040	RMRC-18	Non-Locking R&C	18	N/A	11.5	39
32-041	RMRC-18L W/SN	Locking R&C	18	27/32	11.5	39
32-066	RMRC-18L W/LN	Locking R&C	18	1-1/32	11.5	39
32-240	RMRC-18 W/TR	Non-Locking R&C, Touch Read	18	N/A	11.5	39
32-241	RMRC-18L W/SN W/TR	Locking R&C, Touch Read	18	27/32	11.5	39
32-266	RMRC-18L W/LN W/TR	Locking R&C, Touch Read	18	1-1/32	11.5	39
32-386	RMRC-18 W/2TR	Non-Locking R&C w/ 2 Touch Read	18	N/A	11.5	39
32-391	RMRC-18L W/SN W/2TR	Locking R&C w/ 2 Touch Read	18	27/32	11.5	39
32-392	RMRC-18L W/LN W/2TR	Locking R&C w/ 2 Touch Read	18	1-1/32	11.5	39

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-054	RMRC-20	Non-Locking R&C	20	N/A	11.5	45
32-059	RMRC-20L W/SN	Locking R&C	20	27/32	11.5	45
32-071	RMRC-20L W/LN	Locking R&C	20	1-1/32	11.5	45
32-254	RMRC-20 W/TR	Non-Locking R&C, Touch Read	20	N/A	11.5	45
32-259	RMRC-20L W/SN W/TR	Locking R&C, Touch Read	20	27/32	11.5	45
32-271	RMRC-20L W/LN W/TR	Locking R&C, Touch Read	20	1-1/32	11.5	45
32-421	RMRC-20 W/2TR	Non-Locking R&C w/ 2 Touch Read	20	N/A	11.5	45
32-426	RMRC-20L W/SN W/2TR	Locking R&C w/ 2 Touch Read	20	27/32	11.5	45
32-427	RMRC-20L W/LN W/2TR	Locking R&C w/ 2 Touch Read	20	1-1/32	11.5	45

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-097	RMRC-21	Non-Locking R&C	21	N/A	11.5	49
32-098	RMRC-21L W/SN	Locking R&C	21	27/32	11.5	49
32-099	RMRC-21L W/LN	Locking R&C	21	1-1/32	11.5	49
32-430	RMRC-21 W/TR	Non-Locking R&C, Touch Read	21	N/A	11.5	49
32-298	RMRC-21L W/SN W/TR	Locking R&C, Touch Read	21	27/32	11.5	49
32-299	RMRC-21L W/LN W/TR	Locking R&C, Touch Read	21	1-1/32	11.5	49
32-431	RMRC-21 W/2TR	Non-Locking R&C w/ 2 Touch Read	21	N/A	11.5	49
32-436	RMRC-21L W/SN W/2TR	Locking R&C w/ 2 Touch Read	21	27/32	11.5	49
32-437	RMRC-21L W/LN W/2TR	Locking R&C w/ 2 Touch Read	21	1-1/32	11.5	49



RECESSED CAST IRON METER BOX RINGS & COVERS W/4" RECESSED TOUCH HOLES

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-378	RMRC-15 W/RTR	Non-Locking R&C, W/Rec. Touch Read	15	N/A	11.5	29
32-379	RMRC-15 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	15	N/A	11.5	29
32-380	RMRC-15L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	15	27/32	11.5	30
32-381	RMRC-15L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	15	1-1/32	11.5	30
32-384	RMRC-15L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	15	27/32	11.5	30
32-385	RMRC-15L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	15	1-1/32	11.5	30

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-387	RMRC-18 W/RTR	Non-Locking R&C, W/Rec. Touch Read	18	N/A	11.5	41
32-388	RMRC-18 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	18	N/A	11.5	41
32-389	RMRC-18L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	18	27/32	11.5	42
32-390	RMRC-18L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	18	1-1/32	11.5	42
32-393	RMRC-18L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	18	27/32	11.5	42
32-394	RMRC-18L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	18	1-1/32	11.5	42

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-422	RMRC-20 W/RTR	Non-Locking R&C, W/Rec. Touch Read	20	N/A	11.5	45
32-423	RMRC-20 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	20	N/A	11.5	45
32-424	RMRC-20L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	20	27/32	11.5	46
32-425	RMRC-20L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	20	1-1/32	11.5	46
32-428	RMRC-20L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	20	27/32	11.5	46
32-429	RMRC-20L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	20	1-1/32	11.5	46

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-432	RMRC-21 W/RTR	Non-Locking R&C, W/Rec. Touch Read	21	N/A	11.5	57
32-433	RMRC-21 W/2RTR	Non-Locking R&C, W/Rec. Touch Read	21	N/A	11.5	57
32-434	RMRC-21L W/SN W/RTR	Locking R&C, W/Rec. Touch Read	21	27/32	11.5	58
32-435	RMRC-21L W/LN W/RTR	Locking R&C, W/Rec. Touch Read	21	1-1/32	11.5	58
32-438	RMRC-21L W/SN W/2RTR	Locking R&C, W/Rec. Touch Read	21	27/32	11.5	58
32-439	RMRC-21L W/LN W/2RTR	Locking R&C, W/Rec. Touch Read	21	1-1/32	11.5	58



NON-RECESSED CAST IRON METER BOX RINGS & COVERS W/7" RECESSED TOUCH READ

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-303	RMCI-15 W/TR	Non Locking R&C w/Recessed TR	15	N/A	11.5	31
32-304	RMCI-15L W/SN W/TR	Locking R&C W/Recessed TR	15	27/32	11.5	32
32-305	RMCI-15L W/LN W/TR	Locking R&C W/Recessed TR	15	1-1/32	11.5	32

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-306	RMCI-18 W/TR	Non Locking R&C w/Recessed TR	18	N/A	11.5	33
32-307	RMCI-18L W/SN W/TR	Locking R&C W/Recessed TR	18	27/32	11.5	33
32-308	RMCI-18L W/LN W/TR	Locking R&C W/Recessed TR	18	1-1/32	11.5	33

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-309	RMCI-20 W/TR	Non Locking R&C w/Recessed TR	20	N/A	11.5	36
32-310	RMCI-20L W/SN W/TR	Locking R&C W/Recessed TR	20	27/32	11.5	37
32-311	RMCI-20L W/LN W/TR	Locking R&C W/Recessed TR	20	1-1/32	11.5	37

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-312	RMCI-21 W/TR	Non Locking R&C w/Recessed TR	21	N/A	11.5	42
32-313	RMCI-21L W/SN W/TR	Locking R&C W/Recessed TR	21	27/32	11.5	43
32-314	RMCI-21L W/LN W/TR	Locking R&C W/Recessed TR	21	1-1/32	11.5	43

RECESSED CAST IRON METER BOX RINGS & COVERS W/7" RECESSED TOUCH READ

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-315	RMRCI-15 W/TR	Non Locking R&C w/Recessed TR	15	N/A	11.5	37
32-316	RMRCI-15L W/SN W/TR	Locking R&C W/Recessed TR	15	27/32	11.5	38
32-317	RMRCI-15L W/LN W/TR	Locking R&C W/Recessed TR	15	1-1/32	11.5	38

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-318	RMRCI-18 W/TR	Non Locking R&C w/Recessed TR	18	N/A	11.5	41
32-319	RMRCI-18L W/SN W/TR	Locking R&C W/Recessed TR	18	27/32	11.5	42
32-320	RMRCI-18L W/LN W/TR	Locking R&C W/Recessed TR	18	1-1/32	11.5	42

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-321	RMRCI-20 W/TR	Non Locking R&C w/Recessed TR	20	N/A	11.5	43
32-322	RMRCI-20L W/SN W/TR	Locking R&C W/Recessed TR	20	27/32	11.5	44
32-323	RMRCI-20L W/LN W/TR	Locking R&C W/Recessed TR	20	1-1/32	11.5	44

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-324	RMRCI-21 W/TR	Non Locking R&C w/Recessed TR	21	N/A	11.5	57
32-325	RMRCI-21L W/SN W/TR	Locking R&C W/Recessed TR	21	27/32	11.5	58
32-326	RMRCI-21L W/LN W/TR	Locking R&C W/Recessed TR	21	1-1/32	11.5	58

VESTAL MANUFACTURING
Sweetwater, TN 37874
800-456-9562



DOUBLE FROST PROTECTION RINGS & COVERS W/ FROST PAN

Part Code	Model #	Description	Box Size	Bolt	Lid	Wt.
32-750	W-18P-L R&C w/SN	Locking Ring & Cover w/pan	18	27/32	11.5	58
32-751	W-18P-L R&C w/LN	Locking Ring & Cover w/pan	18	1-1/32	11.5	58
32-752	W-18P-L R&C w/SN w/TR	Locking Ring & Cover w/pan w/TR	18	27/32	11.5	58
32-753	W-18P-L R&C w/LN w/TR	Locking Ring & Cover w/pan w/TR	18	1-1/32	11.5	58
32-754	W-18P-L R&C w/SN w/2TR	Locking Ring & Cover w/pan w/2TR	18	27/32	11.5	58
32-755	W-18P-L R&C w/LN w/2TR	Locking Ring & Cover w/pan w/2TR	18	1-1/32	11.5	58
32-756	W-18P-L R&C w/SN w/RTR	Locking Ring & Cover w/pan w/Rec TR	18	27/32	11.5	58
32-757	W-18P-L R&C W/LN W/RTR	Locking Ring & Cover w/pan w/Rec TR	18	1-1/32	11.5	58
32-758	W-18P-L R&C W/SN W/2RTR	Locking Ring & Cover w/pan w/Rec 2TR	18	27/32	11.5	58
32-759	W-18P-L R&C W/LN W/2RTR	Locking Ring & Cover w/pan w/Rec 2TR	18	1-1/32	11.5	58
32-760	W-18P-L R&C W/SN W/ITRON TR	Locking Ring & Cover w/pan w/ltron TR	18	27/32	11.5	58
32-761	W-18P-L R&C W/LN W/ITRON TR	Locking Ring & Cover w/pan w/ltron TR	18	1-1/32	11.5	58

32-762	W-20P-L R&C W/SN	Locking Ring & Cover w/pan	20	27/32	11.5	62
32-763	W-20P-L R&C W/LN	Locking Ring & Cover w/pan	20	1-1/32	11.5	62
32-764	W-20P-L R&C W/SN W/TR	Locking Ring & Cover w/pan w/TR	20	27/32	11.5	62
32-765	W-20P-L R&C W/LN W/TR	Locking Ring & Cover w/pan w/TR	20	1-1/32	11.5	62
32-766	W-20P-L R&C W/SN W/2TR	Locking Ring & Cover w/pan w/2TR	20	27/32	11.5	62
32-767	W-20P-L R&C W/LN W/2TR	Locking Ring & Cover w/pan w/2TR	20	1-1/32	11.5	62
32-768	W-20P-L R&C W/SN W/RTR	Locking Ring & Cover w/pan w/Rec TR	20	27/32	11.5	62
32-769	W-20P-L R&C W/LN W/RTR	Locking Ring & Cover w/pan w/Rec TR	20	1-1/32	11.5	62
32-770	W-20P-L R&C W/SN W/2RTR	Locking Ring & Cover w/pan w/Rec 2TR	20	27/32	11.5	62
32-771	W-20P-L R&C W/LN W/2RTR	Locking Ring & Cover w/pan w/Rec 2TR	20	1-1/32	11.5	62
32-772	W-20P-L R&C W/SN W/ITRON TR	Locking Ring & Cover w/pan w/ltron TR	20	27/32	11.5	62
32-773	W-20P-L R&C W/LN W/ITRON TR	Locking Ring & Cover w/pan w/ltron TR	20	1-1/32	11.5	62



Part Code	Model #	Description	Box Size	Lid	Wt.
32-775	W-18 Ring only	Double Ring only	18	11.5	45
32-776	W-20 Ring only	Double Ring only	20	11.5	50



Part Code	Model #	Description	Lid	Wt.
32-777	W-1 Inner Pan only	Frost Pan for W-Rings	N/A	1

VESTAL MANUFACTURING
 Sweetwater, TN 37874
 800-456-9562



RECESSED CAST IRON METER BOX RINGS & COVERS - BALTIMORE LID - SPIKED RING

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-408	BRMRC-18 SPIKED	Non-Locking R&C SPIKED	18	N/A	12	39
32-409	BRMRC-18 SPIKED W/TR	Non-Locking R&C SPIKED w/ Touch Read	18	N/A	12	39
32-410	BRMRC-18 SPIKED W/2TR	Non-Locking R&C SPIKED w/ Touch Read	18	N/A	12	39
32-411	BRMRC-18 SPIKED W/RTR	Non-Locking R&C SPIKED w/ Rec. Touch Read	18	N/A	12	41
32-412	BRMRC-18 SPIKED W/2RTR	Non-Locking R&C SPIKED w/ 2 Rec.Touch Read	18	N/A	12	41
32-482	BRMRC-18L SPIKED W/SN	Locking R&C SPIKED	18	27/32	12	41
32-483	BRMRC-18L SPIKED W/LN	Locking R&C SPIKED	18	1-1/32	12	41
32-413	BRMRC-18L SPIKED W/SN W/TR	Locking R&C SPIKED w/ Touch Read	18	27/32	12	42
32-414	BRMRC-18L SPIKED W/LN W/TR	Locking R&C SPIKED w/ Touch Read	18	1-1/32	12	42
32-415	BRMRC-18L SPIKED W/SN W/RTR	Locking R&C SPIKED w/ Rec. Touch Read	18	27/32	12	42
32-416	BRMRC-18L SPIKED W/LN W/RTR	Locking R&C SPIKED w/ Rec. Touch Read	18	1-1/32	12	42
32-417	BRMRC-18L SPIKED W/SN W/2TR	Locking R&C SPIKED w/ 2 Touch Read	18	27/32	12	39
32-418	BRMRC-18L SPIKED W/LN W/2TR	Locking R&C SPIKED w/ 2 Touch Read	18	1-1/32	12	39
32-419	BRMRC-18L SPIKED W/SN W/2RTR	Locking R&C SPIKED w/ 2 Rec. Touch Read	18	27/32	12	42
32-420	BRMRC-18L SPIKED W/LN W/2RTR	Locking R&C SPIKED w/ 2 Rec. Touch Read	18	1-1/32	12	42

RECESSED CAST IRON METER BOX RINGS & COVERS - BALTIMORE LID - SPIKED RING

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-712	BRMRC-20 SPIKED	Non-Locking R&C SPIKED	20	N/A	12	39
32-713	BRMRC-20 SPIKED W/TR	Non-Locking R&C SPIKED w/ Touch Read	20	N/A	12	39
32-714	BRMRC-20L SPIKED W/SN	Locking R&C SPIKED	20	27/31	12	41
32-715	BRMRC-20L SPIKED W/LN	Locking R&C SPIKED	20	1-1/32	12	41
32-716	BRMRC-20L SPIKED W/SN W/TR	Locking R&C SPIKED w/ Touch Read	20	27/31	12	42
32-717	BRMRC-20L SPIKED W/LN W/TR	Locking R&C SPIKED w/ Touch Read	20	1-1/32	12	42
32-718	BRMRC-20L SPIKED W/SN W/RTR	Locking R&C SPIKED w/ Rec. Touch Read	20	27/32	12	42
32-719	BRMRC-20L SPIKED W/LN W/RTR	Locking R&C SPIKED w/ Touch Read	20	1-1/32	12	42
32-720	BRMRC-20L SPIKED W/SN W/2RTR	Locking R&C SPIKED w/ 2 Rec. Touch Read	20	27/32	12	42
32-721	BRMRC-20L SPIKED W/LN W/2RTR	Locking R&C SPIKED w/ 2 Rec. Touch Read	20	1-1/32	12	42



RECESSED CAST IRON METER BOX RINGS & COVERS - BALTIMORE - NO SPIKES

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-395	BRMRC-18	Non-Locking R&C	18	N/A	12	39
32-396	BRMRC-18 W/TR	Non-Locking R&C w/ Touch Read	18	N/A	12	39
32-397	BRMRC-18 W/2TR	Non-Locking R&C w/ Touch Read	18	N/A	12	39
32-398	BRMRC-18 W/RTR	Non-Locking R&C w/ Rec. Touch Read	18	N/A	12	41
32-399	BRMRC-18 W/2RTR	Non-Locking R&C w/ 2 Rec.Touch Read	18	N/A	12	41
32-480	BRMRC-18L W/SN	Locking R&C	18	27/32	12	41
32-481	BRMRC-18L W/LN	Locking R&C	18	1-1/32	12	41
32-400	BRMRC-18L W/SN W/TR	Locking R&C w/ Touch Read	18	27/32	12	42
32-401	BRMRC-18L W/LN W/TR	Locking R&C w/ Touch Read	18	1-1/32	12	42
32-402	BRMRC-18L W/SN W/RTR	Locking R&C w/ Rec. Touch Read	18	27/32	12	42
32-403	BRMRC-18L W/LN W/RTR	Locking R&C w/ Rec. Touch Read	18	1-1/32	12	42
32-404	BRMRC-18L W/SN W/2TR	Locking R&C w/ 2 Touch Read	18	27/32	12	39
32-405	BRMRC-18L W/LN W/2TR	Locking R&C w/ 2 Touch Read	18	1-1/32	12	39
32-406	BRMRC-18L W/SN W/2RTR	Locking R&C w/ 2 Rec. Touch Read	18	27/32	12	42
32-407	BRMRC-18L W/LN W/2RTR	Locking R&C w/ 2 Rec. Touch Read	18	1-1/32	12	42


RECESSED CAST IRON METER BOX RINGS & COVERS - BALTIMORE - NO SPIKES

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-702	BRMRC-20	Non-Locking R&C	20	N/A	12	39
32-703	BRMRC-20 W/TR	Non-Locking R&C w/ Touch Read	20	N/A	12	39
32-704	BRMRC-20L W/SN	Locking R&C	20	27/31	12	41
32-705	BRMRC-20L W/LN	Locking R&C	20	1-1/32	12	41
32-706	BRMRC-20L W/SN W/TR	Locking R&C w/ Touch Read	20	27/31	12	42
32-707	BRMRC-20L W/LN W/TR	Locking R&C w/ Touch Read	20	1-1/32	12	42
32-708	BRMRC-20L W/SN W/RTR	Locking R&C w/ Rec. Touch Read	20	27/32	12	42
32-709	BRMRC-20L W/LN W/RTR	Locking R&C w/ Touch Read	20	1-1/32	12	42
32-710	BRMRC-20L D W/SN W/2RTR	Locking R&C w/ 2 Rec. Touch Read	20	27/32	12	42
32-711	BRMRC-20L W/LN W/2RTR	Locking R&C w/ 2 Rec. Touch Read	20	1-1/32	12	42



NON-RECESSED RINGS & COVERS - HEAVY RING WITHOUT HINGE


Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-485	LWC-20L W/SN	Locking R&C- No Hook	20	27/32	11.5	46
32-089	LWC-20L W/LN	Locking R&C- No Hook	20	1-1/32	11.5	46
32-484	LWC-20L W/SN W/ TR	Locking R&C- Touch Read- No Hook	20	27/32	11.5	46
32-486	LWC-20L W/LN W/ TR	Locking R&C- Touch Read- No Hook	20	1-1/32	11.5	46
32-487	LWC-20L W/SN W/ RTR	Locking R&C- Recessed Touch Read- No Hook	20	27/32	11.5	46
32-489	LWC-20L W/LN W/ RTR	Locking R&C- Recessed Touch Read- No Hook	20	1-1/32	11.5	46
32-488	LWC-20L W/SN W/ 2RTR	Locking R&C- 2 Recessed Touch Read- No Hook	20	27/32	11.5	46
32-490	LWC-20L W/LN W/ 2RTR	Locking R&C- 2 Recessed Touch Read- No Hook	20	1-1/32	11.5	46



NON-RECESSED CAST IRON METER BOX RINGS & COVERS

Vestal No.	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-057	RMC-115-L w/SN	Locking R&C	18	27/32	15	38
32-257	RMC-115-L w/SN w/TR	Locking R&C, Touch Read	18	27/32	15	38
32-258	RMC-115-L w/SN w/2TR	Locking R&C, w/2 Touch Read	18	27/32	15	38

VESTAL MANUFACTURING
Sweetwater, TN 37874
800-456-9562



NON-RECESSED CAST IRON METER BOX RINGS & COVERS

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-082	RMC-213L R&C W/LN	Locking R&C	20	1-1/32	13	47
32-083	RMC-213L R&C W/SN	Locking R&C	20	27/32	13	47
32-282	RMC-213L R&C W/LN & W/TR	Locking R&C, Touch Read	20	1-1/32	13	47
32-283	RMC-213L R&C W/SN & W/TR	Locking R&C, Touch Read	20	27/32	13	47
32-284	RMC-213L R&C W/LN & W/2TR	Locking R&C, w/2 Touch Read	20	1-1/32	13	47
32-285	RMC-213L R&C W/SN & W/2TR	Locking R&C, w/2 Touch Read	20	27/32	13	47

*RMC-213 series rings & covers feature special designed hinge to support lid when open.



RECESSED CAST IRON METER BOX RINGS & COVERS

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-072	RMRC-215L R&C W/SN	Locking R&C	20	27/32	15	50
32-073	RMRC-215L R&C W/LN	Locking R&C	20	1-1/32	15	50
32-272	RMRC-215L R&C W/SN W/TR	Locking R&C, Touch Read	20	27/32	15	50
32-273	RMRC-215L R&C W/LN W/TR	Locking R&C, Touch Read	20	1-1/32	15	50
32-107	RMRC-215L R&C W/SN W/2TR	Locking R&C, 2 Touch Read	20	27/32	15	50
32-108	RMRC-215L R&C W/LN W/2TR	Locking R&C, 2 Touch Read	20	1-1/32	15	50
32-277	RMRC-215L R&C W/SN W/RTR	Locking R&C, w/ Rec. Touch Read	20	27/32	15	52
32-287	RMRC-215L R&C W/LN W/RTR	Locking R&C, w/ Rec. Touch Read	20	1-1/32	15	52
32-278	RMRC-215L R&C W/SN W/2RTR	Locking R&C w/2 Rec. Touch Read	20	27/32	15	56
32-288	RMRC-215L R&C W/LN W/2RTR	Locking R&C w/2 Rec. Touch Read	20	1-1/32	15	56



HOOK COVER NON-RECESSED CAST IRON METER BOX RINGS & COVERS

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-102	RMC-15H	Non-Locking Drop-In	15	N/A	11.5	27
32-024	RMC-18H	Non-Locking Drop-In	18	N/A	11.5	30
32-224	RMC-18H W/TR	Non-Locking Drop-In w/Touch Read	18	N/A	11.5	30
32-027	RMC-20H	Non-Locking Drop-In	20	N/A	11.5	47
32-227	RMC-20H W/TR	Non-Locking Drop-In w/Touch Read	20	N/A	11.5	47



CAST IRON ELEVATOR RINGS

Vestal No.	Model #	Description	Type	Bolt	Lid	Wt.
96-146	ELR-15	1-1/2" Elevator Ring	Non-Recessed	J-Bolt	12	8
96-147	ELR-3	3" Elevator Ring	Non-Recessed	J-Bolt	12	10
96-186	ELR-25	2-1/2" Elevator Ring	Recessed	Set Screw	11-1/2	10
96-187	ELR-4	4" Elevator Ring	Recessed	Set Screw	11-1/2	16



CAST IRON TOUCH READ PLUG

Part Code	Model #	Description	Size	Bolt	Lid	Wt.
32-074	TR Plug with Cotter Pin	Plug for Touch Read Holes	1 3/4	N/A	Any	2



CAST IRON METER BOX RINGS

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-034	RM-15	17" (OD) Ring	15	11.5	16
32-028	RM-18	20" (OD) Ring	18	11.5	19
32-028X	RM-18 "X"	20" (OD) Ring	18	11.5	19
32-163	RM-115	20" (OD) Ring	18	15	19
32-029	RM-20	21.75" (OD) Ring	20	11.5	22
32-087	LW-20	21.75" (OD) Ring	20	11.5	28
32-053	RM-213	22.5" (OD) Ring	20	13	22
32-092	RM-21	24" (OD) Ring	21	11.5	28



CAST IRON METER BOX RINGS - RECESSED

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-039	RMR-15	17" (OD) Ring	15	11.5	18
32-042	RMR-18	20" (OD) Ring	18	11.5	18
32-084	RMR-18 Spiked Ring	20" (OD) Ring	18	11.5	28
32-058	RMR-20	21-5/8" (OD) Ring	20	11.5	28
32-700	BRMR-20	21-5/8" (OD) Ring	20	12	31
32-701	BRMR-20 Spiked Ring	21-5/8" (OD) Ring	20	12	33
32-115	RMR-215	21-5/8" (OD) Ring	20	15	30
32-096	RMR-21	24" (OD) Ring	21	11.5	33



FLAT CAST IRON METER RING - RECESSED

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-103	FRMR-18	20.5" (OD) Ring	18	11.5	28

NON RECESSED CAST IRON METER BOX COVERS ONLY

RMCL



RMCL W/TR



RMCL W/2TR



RMCL W/RTR



RMCL W/2RTR



RMCI W/TR



RMCL EX-HVY



RMCL EX-HVY W/TR



RMCL EX-HVY W/2TR



RMCL 213



RMCL 213 W/TR



RMC 213 W/2TR



RMCH



RM 115 W/TR



NON RECESSED CAST IRON METER BOX COVERS ONLY

Part Code	Model #	Description	Bolt	Lid	Wt.
32-030	RMC	Non-Locking Cover	N/A	11.5	11
32-031	RMCL W/SN	Locking Cover	27/32	11.5	11
32-063	RMCL W/LN	Locking Cover	1-1/32	11.5	11
32-230	RMC W/TR	Non Locking Cover, Touch Read	N/A	11.5	11
32-231	RMCL W/SN W/TR	Locking Cover, Touch Read	27/32	11.5	11
32-263	RMCL W/LN W/TR	Locking Cover, Touch Read	1-1/32	11.5	11
32-440	RMC W/2TR	Non-Locking Cover w/ Touch Read	N/A	11.5	11
32-445	RMCL W/SN W/2TR	Locking Cover w/ Touch Read	27/32	11.5	12
32-446	RMCL W/LN W/2TR	Locking Cover w/ Touch Read	1-1/32	11.5	12
32-441	RMC W/RTR	Non-Locking Cover w/Rec Touch Read	N/A	11.5	12
32-442	RMC W/2RTR	Non-Locking Cover w/Rec 2 Touch Read	N/A	11.5	12
32-443	RMCL W/SN W/RTR	Locking Cover w/Rec Touch Read	27/32	11.5	12
32-444	RMCL W/LN W/RTR	Locking Cover w/Rec Touch Read	1-1/32	11.5	12
32-447	RMCL W/SN W/2RTR	Locking Cover w/Rec 2 Touch Read	27/32	11.5	12
32-448	RMCL W/LN W/2RTR	Locking Cover w/Rec 2 Touch Read	1-1/32	11.5	12
32-300	RMCI W/TR	Non-Locking Cover w/Itron TR	N/A	11.5	14
32-301	RMCI W/SN W/TR	Locking Cover w/Itron TR	27/32	11.5	15
32-302	RMCI W/LN W/TR	Locking Cover w/Itron TR	1-1/32	11.5	15
32-080	RMCL EX-HVY W/SN	Extra Heavy Locking Cover	27/32	11.5	26
32-081	RMCL EX-HVY W/LN	Extra Heavy Locking Cover	1-1/32	11.5	26
32-280	RMCL EX-HVY W/SN W/TR	Extra Heavy Locking Cover, Touch Read	27/32	11.5	26
32-281	RMCL EX-HVY W/LN W/TR	Extra Heavy Locking Cover, Touch Read	1-1/32	11.5	26
32-105	RMCL EX-HVY W/SN W/2TR	Extra Heavy Locking Cover, 2 Touch Read	27/32	11.5	26
32-106	RMCL EX-HVY W/LN W/2TR	Extra Heavy Locking Cover, 2 Touch Read	1-1/32	11.5	26
32-044	RMCL 213 W/LN	Locking Cover	27/32	13	21
32-045	RMCL 213 W/SN	Locking Cover	1-1/32	13	21
32-244	RMCL 213 W/LN W/TR	Locking Cover, Touch Read	1-1/32	13	21
32-245	RMCL 213 W/SN W/TR	Locking Cover, Touch Read	27/32	13	21
32-242	RMCL 213 W/LN W/2TR	Locking Cover, 2 Touch Read	1-1/32	13	21
32-243	RMCL 213 W/SN W/2TR	Locking Cover, 2 Touch Read	27/32	13	21
32-160	RMCL 115 W/SN	Locking Cover	27/32	15	18
32-161	RMCL 115 W/SN W/TR	Locking Cover, Touch Read	27/32	15	18
32-162	RMCL 115 W/SN W/2TR	Locking Cover, 2 Touch Read	27/32	15	18
32-032	RMCH	Hook Non-Locking Cover	N/A	11.5	9
32-232	RMCH W/TR	Hook Non-Locking Cover w/TR	N/A	11.5	9

RECESSED CAST IRON METER BOX COVERS ONLY

RMRCCL



RMRCCL W/TR



RMRCCL W/2TR



RMRCCL W/RTR



RMRCCL W/2RTR



BRMRCCL



RMRC 215



RMRC 215 W/TR



RMRC 215 W/2TR



RMR 215 COVER W/RTR



RMR 215 COVER W/2RTR



VESTAL MANUFACTURING
Sweetwater, TN 37874
800-456-9562

RECESSED CAST IRON METER BOX COVERS ONLY

Part Code	Model #	Description	Bolt	Lid	Wt.
32-449	RMRC	Non-Locking Cover	N/A	11.5	11
32-452	RMRC W/SN	Locking Cover	27/32	11.5	11
32-453	RMRC W/LN	Locking Cover	1-1/32	11.5	11
32-450	RMC W/TR	Non Locking Cover, Touch Read	N/A	11.5	11
32-454	RMRC W/SN W/TR	Locking Cover, Touch Read	27/32	11.5	11
32-455	RMRC W/LN W/TR	Locking Cover, Touch Read	1-1/32	11.5	11
32-451	RMRC W/2TR	Non-Locking Cover w/ Touch Read	N/A	11.5	12
32-456	RMRC W/SN W/2TR	Locking Cover w/ Touch Read	27/32	11.5	12
32-457	RMRC W/LN W/2TR	Locking Cover w/ Touch Read	1-1/32	11.5	12
32-458	RMRC W/RTR	Non-Locking Cover w/Rec Touch Read	N/A	11.5	12
32-459	RMRC W/2RTR	Non-Locking Cover w/Rec 2 Touch Read	N/A	11.5	12
32-460	RMRC W/SN W/RTR	Locking Cover w/Rec Touch Read	27/32	11.5	12
32-461	RMRC W/LN W/RTR	Locking Cover w/Rec Touch Read	1-1/32	11.5	12
32-462	RMRC W/SN W/2RTR	Locking Cover w/Rec 2 Touch Read	27/32	11.5	12
32-463	RMRC W/LN W/2RTR	Locking Cover w/Rec 2 Touch Read	1-1/32	11.5	12
32-464	BRMRC	Baltimore Non-Locking Lid	N/A	12	12
32-468	BRMRC W/SN	Baltimore Locking Lid	27/32	12	12
32-469	BRMRC W/LN	Baltimore Locking Lid	1-1/32	12	12
32-109	RMRC 215 CVR only W/SN	15 In. Locking Cover	27/32	15	17
32-110	RMRC 215 CVR only W/LN	15 In. Locking Cover	1-1/32	15	17
32-111	RMRC 215 CVR only W/SN W/TR	15 In. Locking Cover Touch Read	27/32	15	17
32-112	RMRC 215 CVR only W/LN W/TR	15 In. Locking Cover Touch Read	1-1/32	15	17
32-113	RMRC 215 CVR only W/SN W/2TR	15 In. Locking Cover 2-Touch Read	27/32	15	17
32-114	RMRC 215 CVR only W/LN W/2TR	15 In. Locking Cover 2-Touch Read	1-1/32	15	17
32-118	RMRC 215 CVR only W/SN W/RTR	Locking Cover, Rec. Touch Read	27/32	15	24
32-138	RMRC 215 CVR only W/LN W/RTR	Locking Cover, Rec. Touch Read	1-1/32	15	24
32-119	RMRC 215 CVR only W/SN W/2RTR	Locking Cover, 2 Rec. Touch Read	27/32	15	27
32-139	RMRC 215 CVR only W/LN W/2RTR	Locking Cover, 2 Rec. Touch Read	1-1/32	15	27



Non-Recessed Plastic Covers Only



- Non-recessed design allows assembly into Vestal non-recessed cast iron meter box rings
- Will fit Vestal RM-15, RM-18, RM-18X, RM-20, and RM-21 meter box rings
- H-20 load rated for pedestrian and light traffic
- Cover design allows for simple installation of radio read, AMR, and AMI brackets
- Engineered to resist extreme temperatures, UV sunlight, and chemical exposures

Model No.	Description	Bolt	Lid	Weight	Vestal No.
P-RMCL w/SN	Locking Plastic Cover	27/32"	11.5"	3 lbs.	32-780
P-RMCL w/SN w/ Sensus TR	Locking Plastic Cover, Sensus Touch Read	27/32"	11.5"	3 lbs.	32-780STR
P-RMCL w/LN	Locking Plastic Cover	1-1/32"	11.5"	3 lbs.	32-781
P-RMCL w/LN w/ Badger TR	Locking Plastic Cover, Badger Touch Read	1-1/32"	11.5"	3 lbs.	32-781BTR
P-RMCL w/LN w/ Sensus TR	Locking Plastic Cover, Sensus Touch Read	1-1/32"	11.5"	3 lbs.	32-781STR



Recessed Plastic Covers Only




- Recessed design allows assembly into Vestal recessed cast iron meter box rings
- Will fit Vestal RMR-15, RMR-18, W-18, RMR-20, W-20 and RMR-21 meter box rings
- H-20 load rated for pedestrian and light traffic
- Cover design allows for simple installation of radio read, AMR, and AMI brackets
- Engineered to resist extreme temperatures, UV sunlight, and chemical exposures

Model No.	Description	Bolt	Size	Wt. Lbs.	Part Code
P-RMRCL w/SN	Locking Plastic Cover	27/32	11.5"	3	32-782
P-RMRCL w/LN	Locking Plastic Cover	1-1/32	11.5"	3	32-783
P-RMRCL w/SN w/Neptune TR	Locking Plastic Cover	27/32	11.5"	3	32-785



MONITOR COVERS ONLY – CAST IRON

Part Code	Model #	Description	Bolt	Lid	Wt.
32-052	#20 Cover Only W/SN	Locking Cover	27/32	20	34
32-069	#20 Cover Only W/LN	Locking Cover	1-1/32	20	34
32-252	#20 Cover Only W/SN W/TR	Locking Cover, Touch Read	27/32	20	34
32-269	#20 Cover Only W/LN W/TR	Locking Cover, Touch Read	1-1/32	20	34
32-497	#20 Cover Only W/SN W/RTR	Locking Cover, Recessed Touch Read	27/32	20	34
32-498	#20 Cover Only W/LN W/RTR	Locking Cover, Recessed Touch Read	1-1/32	20	34
32-499	#20 Cover Only W/SN W/2RTR	Locking Cover, 2 Recessed Touch Read	27/32	20	34
32-500	#20 Cover Only W/LN W/2RTR	Locking Cover, 2 Recessed Touch Read	1-1/32	20	34
32-491	#21 Monitor Cover Only W/SN	Ex. Heavy Locking Cover	27/32	20	57
32-492	#21 Monitor Cover Only W/LN	Ex. Heavy Locking Cover	1-1/32	20	57
32-493	#21 Monitor Cover Only W/SN W/TR	Ex. Heavy Locking Cover, Touch Read	27/32	20	57
32-494	#21 Monitor Cover Only W/LN W/TR	Ex. Heavy Locking Cover, Touch Read	1-1/32	20	57
32-495	#21 Monitor Cover Only W/SN W/RTR	Ex. Heavy Locking Cover, Recessed Touch Read	27/32	20	57
32-496	#21 Monitor Cover Only W/LN W/RTR	Ex. Heavy Locking Cover, Recessed Touch Read	1-1/32	20	57
32-055	MONITOR RING	Monitor Ring Only	N/A	N/A	54



MONITOR COVERS ONLY – PLASTIC


Vestal No.	Model No.	Description	Bolt	Lid	Weight
32-784	P-20 w/ SN	Plastic Monitor Lid	27/32"	20"	14 lbs.
32-808	P-20 w/ SN w/ Sensus TR	Plastic Monitor Lid w/ 4-1/8" Recess TR	27/32"	20"	14 lbs.
32-809	P-20 w/ SN w/ Badger TR	Plastic Monitor Lid w/ 3" Recess TR	27/32"	20"	14 lbs.
32-810	P-20 w/ SN w/ Neptune TR	Plastic Monitor Lid w/ 4-1/2" Recess TR	27/32"	20"	14 lbs.

- Will fit Vestal Monitor Rings and Pit Rings
- H-20 load rated for pedestrian and light traffic
- Lid design allows for simple installation of radio read, AMR, and AMI brackets
- Under mounted brackets available for Badger, Sensus, Neptune, Itron, etc. antennas
- Engineered to resist extreme temperatures, UV sunlight, and chemical exposures



MONITOR RINGS & COVERS

Part Code	Model #	Description	Bolt	Lid	Wt.
32-056	MONITOR R&C W/SN	Locking Ring & Cover	27/32	20	88
32-070	MONITOR R&C W/LN	Locking Ring & Cover	1-1/32	20	88
32-256	MONITOR R&C W/SN W/TR	Locking Ring & Cover, Touch Read	27/32	20	88
32-270	MONITOR R&C W/LN W/TR	Locking Ring & Cover, Touch Read	1-1/32	20	88
32-478	MONITOR R&C W/SN W/RTR	Locking Ring & Cover, Recessed Touch Read	27/32	20	88
32-479	MONITOR R&C W/LN W/RTR	Locking Ring & Cover, Recessed Touch Read	1-1/32	20	88
32-501	MONITOR R&C W/SN W/2RTR	Locking Ring & Cover, 2 Recessed Touch Read	27/32	20	88
32-528	MONITOR R&C W/LN W/2RTR	Locking Ring & Cover, 2 Recessed Touch Read	27/32	20	88
32-090	EX-HEAVY MONITOR R&C W/SN	Locking Ring & Cover	27/32	20	112
32-091	EX-HEAVY MONITOR R&C W/LN	Locking Ring & Cover	1-1/32	20	112
32-290	EX-HEAVY MONITOR R&C W/SN W/TR	Locking Ring & Cover, Touch Read	27/32	20	112
32-291	EX-HEAVY MONITOR R&C W/LN W/TR	Locking Ring & Cover, Touch Read	1-1/32	20	112



MONITOR INNER LIDS

Part Code	Model #	Description	Lid	Wt.
32-104	Cast Iron Monitor Inner Lid	Inner Frost Lid for Monitor Ring and Cover*	20	23
32-204	Plastic Monitor Inner Lid	Inner Frost Lid for Monitor Ring and Cover*	20	4

* Note: Fits ER-2024, ER-2030, ER-2036.



EXPANDA RINGS*

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-043	ER-1824	26 1/2" (OD) Adapts 18" Cover to 24" Tile	24	18	24
32-046	ER-2024	26 1/2" (OD) Adapts 20" Cover to 24" Tile	24	20	29
32-048	ER-2030	33" (OD) Adapts 20" Cover to 30" Tile	30	20	71
32-049	ER-2036	39" (OD) Adapts 20" Cover to 36" Tile	36	20	125

* Note: Vestal Expanda Rings can be added to RMC and Monitor Rings & Covers for larger pit sizes.




CAST IRON PIT RINGS & COVERS

Part Code	Model #	Description	Tile Size	Bolt	Lid	Wt.
32-050	20 W/SN	Pit Ring & Standard Cover	20	27/32	20	67
32-067	20 W/LN	Pit Ring & Standard Cover	20	1-1/32	20	67
32-250	20 W/SN W/TR	Pit Ring & Standard Cover, Touch Read	20	27/32	20	67
32-267	20 W/LN W/TR	Pit Ring & Standard Cover, Touch Read	20	1-1/32	20	67
32-476	20 W/SN W/RTR	Pit Ring & Standard Cover, Rec. TR	20	27/32	20	67
32-477	20 W/LN W/RTR	Pit Ring & Standard Cover, Rec. TR	20	1-1/32	20	67
32-051	21 W/SN	Pit Ring & Heavy Cover	20	27/32	20	91
32-068	21 W/LN	Pit Ring & Heavy Cover	20	1-1/32	20	91
32-251	21 W/SN W/TR	Pit Ring & Heavy Cover, Touch Read	20	27/32	20	91
32-268	21 W/LN W/TR	Pit Ring & Heavy Cover, Touch Read	20	1-1/32	20	91
32-116	Pit Ring	Pit Ring Only	20	N/A	N/A	35



CAST IRON FLAT PITSETTER COVERS

Part Code	Model #	Description	Pit Size	Bolt	Wt.
32-140	VF-15	Non-Locking Cover	15	N/A	21
32-141	VF-15 w/TR	Non-Locking Cover, Touch Read	15	N/A	21
32-142	VF-15 w/2TR	Non-Locking Cover, 2 Touch Read	15	N/A	21
32-145	VF-15-L w/SN	Locking Cover	15	27/32	21
32-146	VF-15-L w/SN w/TR	Locking Cover, Touch Read	15	27/32	21
32-147	VF-15-L w/SN w/2TR	Locking Cover, 2 Touch Read	15	27/32	21
32-150	VF-18	Non-Locking Cover	18	N/A	29
32-151	VF-18 w/TR	Non-Locking Cover, Touch Read	18	N/A	29
32-152	VF-18 w/2TR	Non-Locking Cover, 2 Touch Read	18	N/A	29
32-155	VF-18-L w/SN	Locking Cover	18	27/32	29
32-156	VF-18-L w/SN w/TR	Locking Cover, Touch Read	18	27/32	29
32-157	VF-18-L w/SN w/2TR	Locking Cover, 2 Touch Read	18	27/32	29



CAST IRON WATER METER LIDS*

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-020	WM-15	Non-Locking Flat Water Meter Lid 18" OD	15	18	19
32-220	WM-15 W/TR	Non-Locking Flat Lid, Touch Read	15	18	19

* Note: WM-15 features 1" deep rim, 14" diameter, recessed 2" from outside of lid



CAST IRON WATER METER LIDS*

Part Code	Model #	Description	Tile Size	Lid	Wt.
96-357	WM-18	Non-Locking Water Meter Lid	18	20	30
96-336	WM-18 W/TR	Non-Locking, Touch Read	18	20	30
96-331	WM-18 W/2TR	Non-Locking with Two Touch Read	18	20	30
96-036	WM-18 W/RTR	Non-Locking w/Rec. Touch Read	18	20	37
96-030	Heavy Duty WM-18 W/TR	Non-Locking, Touch Read	18	20	46


* Note: WM-18 features 1/4" deep rim, 17" diameter, recessed 1-1/4" from outside of lid.

* Lid can be marked Water Meter, Sewer, or Blank.




CAST IRON BELL RING & COVER

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-077	18 Ring	Flat Bell Ring	18	21 (OD)	33
32-078	18 Cover	Bell Cover (Water Meter)	N/A	10.5 (OD)	10
32-279	18 Cover w/ TR	Bell Cover w/ Touch Read Hole	N/A	10.5 (OD)	10




CAST IRON RECTANGULAR WATER METER LIDS WITH FLANGE

Part Code	Model #	Description	Size	Wt.
96-002	AF-1	Top Mount Meter Lid	10 7/8" x 15 7/8"	17.5
96-003	AF-1 W/TR	Top Mount Meter Lid with Touch Read	10 7/8" x 15 7/8"	17.5
96-004	AFR-2	Top Mount Meter Lid with Reader	10 7/8" x 15 7/8"	17.5



CAST IRON RECTANGULAR WATER METER LIDS WITH FLANGE

Part Code	Model #	Description	Size	Wt.
96-385	F-4	Top Mount Meter Lid	11 1/4" x 16 1/2"	12
96-337	F-4 W/TR	Top Mount Meter Lid with Touch Read	11 1/4" x 16 1/2"	12
96-330	1419 T	Top Mount Meter Lid	11 3/8" x 16 1/4"	15
96-327	1419 T W/TR	Top Mount Meter Lid with Touch Read	11 3/8" x 16 1/4"	15



DROP-IN CAST IRON RECTANGULAR METER LIDS - FLANGELESS

Part Code	Model #	Description	Size	Wt.
96-143	D-5	Drop-In Meter Lid	10" x 15"	14
96-140	D-5 W/TR	Drop-In Meter Lid with Touch Read	10" x 15"	14
96-144	DR-6	Drop-In Meter Lid with Reader	10" x 15"	15



CAST IRON OVAL WATER METER LIDS



Part Code	Model #	Description	Size	Bolt	Wt.
96-179	Oval Cover w/ SN	Locking Oval Lid	19" x 10"	27/32	17
96-174	Oval Cover w/ SN w/ TR	Locking Oval Lid with Touch Read	19" x 10"	27/32	17
96-161	Oval Cover	Non-Locking Oval Lid	19" x 10"	N/A	17
96-162	Oval Cover w/ TR	Non-Locking Oval Lid with Touch Read	19" x 10"	N/A	17



MUNICIPAL CASTING PRODUCTS

MUNICIPAL CASTINGS INDEX


Valve Box Ring & Cover	C-26
Sewer Cleanout Ring & Cover.....	C26, C-27, C-28
Valve Box Risers & Lids	C-29
Valve Box Rings & Covers.....	C-30



VALVE BOX RING & COVER - 10" HIGH

Vestal No.	Model & Description	Tile Size	Lid	Wt.
32-128	V-107 Valve Box Lid Only	N/A	8"	12 lbs.
32-129	V-107 Valve Box Ring Only	6.88"	N/A	29 lbs.

* Cover can be marked Water or Sewer.



SEWER CLEANOUT RING & COVER


Vestal No.	Model & Description	Tile Size	Lid	Wt.
32-135	Springfield Sewer Cover	N/A	9 3/8"	15 lbs.
32-136	Springfield Cleanout Ring	8 1/4"	N/A	25 lbs.



Sewer Cleanout Frame & Lids


Model No. LH-6

- Fits over 4" diameter pipe & fittings.
- LH-6 accepts standard lid for 5-1/4" valve box.
- Standard lid marked Sewer. Available with Water and Storm.
- Intended for concrete, asphalt, grass or dirt installation.
- Accepts Vestal Valve Box Risers
- Total Weight - 29 lbs.
- Part Code 32-120



Model No. LH-10

- Fits over 6" diameter pipe & fittings.
- Standard lid marked Sewer. Available with Water and Storm.
- Intended for concrete, asphalt, grass or dirt installation.
- Total Weight - 53 lbs.
- Part Code 32-121






Sewer Cleanout Frame & Lids

Model No. LH-12

- Fits over 8" and 10" diameter pipe & fittings.
- Standard lid marked Sewer. Available with Water and Storm.
- Intended for concrete, asphalt, grass, or dirt installation.
- Total Weight - 110 lbs.
- Part Code 32-125






CAST IRON VALVE BOX LID*

Part Code	Model #	Description	Tile Size	Lid	Wt.
96-100	T-5 1/4	Skirted 5 1/4 Cover	5 1/4	7	12

* Cover can be marked with Water, Gas, Storm or Sewer.



CAST IRON VALVE BOX RISERS*

Part Code	Model #	Description	Tile Size	Lid	Wt.
96-375	71	1" Valve Box Riser Domestic	5 1/4	7	6
96-366	715	1 1/2" Valve Box Riser Domestic	5 1/4	7	10
96-376	72	2" Valve Box Riser Domestic	5 1/4	7	13
96-377	73	3" Valve Box Riser Domestic	5 1/4	7	15
96-378	74	4" Valve Box Riser Domestic	5 1/4	7	20
96-314	76	6" Valve Box Riser Domestic	5 1/4	7	29

* Risers available with or without flanges.



CAST IRON VALVE BOX "MUSHROOM" LID*

Vestal No.	Model #	Description	Tile Size	Lid	Wt.
96-145	V-6	Mushroom	6" or 4"	7.5"	13

* Drops into a 6" pipe or will accept 4" pipe on inside.



CAST IRON VALVE BOX RING*

Part Code	Model #	Description	Tile Size	Lid	Wt.
96-367	V-2194	5 1/4 Valve Box Ring	6	7	15

* Use with #7 cover.



CAST IRON VALVE BOX COVER*

Part Code	Model #	Description	Tile Size	Lid	Wt.
32-035	7	Standard 5 1/4 Drop-In	5 1/4	7	7

* Cover can be marked with Water, Gas or Sewer.

* Use with V-2194 Ring.



CAST IRON 5 1/4 VALVE BOX RING & COVER*

Part Code	Model #	Description	Tile Size	Lid	Wt.
96-001	525	5 1/4 Ring & Cover	6	7	17.5
96-098	5 1/4 COVER	5 1/4 Cover Only	N/A	7	9
96-099	5 1/4 RING	5 1/4 Ring Only	6	7	9

* Cover can be marked with Water, Gas or Sewer.



AIS COMPLIANT

Vestal Manufacturing Enterprises, Inc. certifies that all Vestal Municipal Casting products are in full compliance with the **American Iron & Steel (AIS)** requirements. Domestically poured and manufactured from our gray iron foundry in Sweetwater, Tennessee, Vestal products are “Crafted with Pride in the U.S.A.”


**Meter Box Rings
& Covers**



**Monitor Rings &
Covers**



Round Meter Pit Lids



Rectangular Lids



**Cleanout
Rings & Covers**



Valve Box Risers & Lids



**Cleanout Frames &
Lids**



Valve Box Rings & Lids



Specialty Castings

- City Names
- City Logos

**Contact the Vestal sales office for submittal drawings,
product questions or additional information.**



Vestal Manufacturing Enterprises, Inc.
P.O. Box 420 • Sweetwater, TN 37874
Phone: 800-456-9562 • Fax: 423-337-2003
www.vestalmfg.com





Be Green!



Environmentally Focused

- 100% of the iron used to make Vestal castings is **scrap metal**.
- Thousands of tons of **scrap metal**, that otherwise may be scattered across the country or dumped in landfills, are recycled annually.
- Approximately 96% of our green sand is **reclaimed** daily and reused in our molding process.
- Closed loop water system provides **reduced water** consumption by 20 million gallons of water annually.
- Energy **efficient lighting** in all Vestal office and manufacturing facilities.
- All excess cardboard is accumulated and sent to a recycling center.



VESTAL MANUFACTURING
Sweetwater, TN 37874
800-456-9562

TERMS AND GENERAL INFORMATION

TERMS:

Terms will be specified on each individual invoice. A service charge of 1 1/2% per month (18% ANNUAL RATE) will be assessed for all past due accounts. Where applicable, the service charge will be adjusted to meet state legal requirements.

PALLETIZING MATERIAL:

Certain Vestal products must be palletized for shipping at a net charge per pallet. There is also a net charge for heavy wooden shipping boxes. The boxes and pallets are not returnable.

DAMAGES, SHORTAGES OR LOSS IN TRANSIT:

Merchandise is inspected and counted before loading. Please inspect carefully on receipt of merchandise, noting any discrepancy or damage on the carrier's freight bill AT TIME OF DELIVERY.

Discrepancies or damage which obviously occurred in transit are the carrier's responsibility, and related claims should be made promptly, direct to the carrier. DEDUCTIONS FROM INVOICES FOR SHORTAGES OR DAMAGE CLAIMS WILL NOT BE ALLOWED.

Our responsibility as shipper ceases when goods are delivered in good order to the transportation company. We assume no liability for merchandise in transit. We will, however, render all possible assistance in recovering lost goods or in filing claims by consignee.

PRICES:

Subject to change without notice. All merchandise will be invoiced at prices in effect at time of shipment.

HANDLING CHARGE:

UPS shipments are assessed a \$4.00 charge per shipment. Quantities will be rounded up to the next even bundle unless specifically requested, then special charge will apply. A special \$5.00 handling charge will also be assessed on any product when quantity ordered is less than standard package.

RETURN GOODS:

Return goods will not be accepted without written authority from Vestal Manufacturing. A minimum charge of 10% will be made for handling, inspecting and repackaging items returned for credit. All returned goods must be shipped transportation charges prepaid. DEDUCTIONS FROM INVOICES FOR DAMAGES, DEFECTIVE, AND SHORTAGE CLAIMS WILL NOT BE ALLOWED.

TAXES:

Prices do not include sales, excise, transportation and other similar taxes present or future.

DELIVERY:

Shipments and deliveries are, at all times, subject to approval of our Credit Department. Delivery is contingent on floods, strikes, acts of God, or any other causes beyond our control.

MODEL NUMBER:

When placing orders, please give model number.

PLANT CLOSINGS:

Vestal Manufacturing always closes the weeks of July 4th and December 25th. No shipping, receiving, or production will occur during these times.

METER BOX RINGS & COVERS



Monitor Rings & Covers



Celebrating Over 75 Years of Excellence

Since
1946

Sewer Cleanouts



Yoke Bars



Flat Locking
Covers



Valve Box Risers



Valve Boxes



For over 75 years Vestal Manufacturing has been producing gray iron castings using American labor, techniques and materials.

Whatever your requirements, Vestal will work with you to produce high quality castings for your particular application.

VESTAL MANUFACTURING ENTERPRISES, INC.

P.O. Box 420 • Sweetwater, TN 37874

(423) 337-6125 • USA WATS 1-800-456-9562

Fax 423-337-2003

Email: vestal@vestalmfg.com

Website: www.vestalmfg.com

